Index

19 Channel Array
  Data Formats, 158
  Data Organization, 158
  Data Reduction
    Getting the Software, 161
    MOPSI, 143
    MOPSI - examples, 150
    NIC, 133
    NIC - examples, 140
    On-Offs, 135, 145
    On-The-Flys, 137, 145
    Pointing, 134
    Skydips, 134, 144
  Introduction, 119
  Planning Observations, 121
    Sophisticated topics, 125
    With MOPSI, 123
    With NIC, 122
  RX command, 201
  Secondary calibrators, 131
  Spectral Response, 158
  Taking Data, 127
    Advanced Mapping, 130
    Flux Calibration, 129
    Focus, 128
    On-Offs, 129
    OTF Mapping, 130
    Pointing, 127
    Skydips, 128
4 Color Bolometer
  location, 71
  Spectral Response, 158

AOS
  defn, *see* BACKEND
  setup, 55
  theory, 164
  Use, 165

BACKEND
  defn, 207
  description, 31
  examples, 55
Backends, 163
  AOS, 164
  CHIRP, 169
  Connect to Receivers, *see* Receivers
  Drumbeat, 163
  Filterbanks, 167
  Summary, 7
Bandpass
  importance in tuning, 75
BE_FE
  defn, 205
  description, 31
  examples, 55, 64
    SIS345, 55
BEORGA, 177
Bolometer
  see19 Channel Array, 119

C_MODE
  defn, 210
  examples, 42
CALIBRATION
  defn, 224
  description, 33
  examples, 56
    cold, 56
Calibration
  Data, 33
CANCEL
  example, 183
CHEF, 177
CHIRP
  Use, 169
Class, 267

Quick Map, 271
Summing Scans, 269
Use on Jever and Hannen, 13
CMAP
defn, 243
description, 9, 34
examples, 47
Commands
Calibration
CAL, 33
DARK, 33
EFFICIENCY, 33
SKYDIP, 33
Continuum
CMAP, 34
CONOFF, 34
CTRACK, 34
Other Useful Commands
HELP, *see* HELP
MBC, 36
Printing, 36
RENAME, 36
SET OFFSET, 36
SHOW, 36
STOW, 36
Pointing
CORR, 32
LPOINT, 32
LWPOINT, 32
POINT, 32
SET BOLO, 32
XFOCUS, 32
ZFOCUS, 32
Setup
BACKEND, 31
BE_FE, 31
DRUMBEAT, 31
LINE, 31
RX, 31
SET CATALOG_C, 31
SET CATALOG_L, 31
SET W_POS, 31
SOURCE, 31
WOBBLE, 31
Spectral Line
PMAP, 35
PRASTER, 35
PSWITCH, 35
START, 35
WRASTER, 35
WSWITCH, 35
Telescope Efficiency
EFFICIENCY, 33
Computers
Frankenheim, 10
Kronen, 10
screen layout, 28
obs, 10
smtobs, 12
sun, 11
crossmounted disks, 12
software, 11, 13
Tucson
visitor accounts, 14
X-terminals, 10
CONOFF
defn, 235
description, 9, 34
examples, 46
Contacts
Observing, 25
Travel, 25
Continuum
modes of observing, 9
Control Room
Layout, 28
CORR
description, 32
examples, 44, 45
CORRECTIONS
defn, 223
CRASTER
defn, 244
CROSS
defn, 233
CTRACK
data reduction, 65
defn, 236
description, 34
examples, 46

CURRENT, 184

DARK
  defn, 224
  description, 33
  examples, 56
DCL
  example, 180
DEFAULT
  example, 184
DISPL_CHAN
  examples, 64
DRUMBEAT
  defn, 208
  description, 31
  examples, *see* BOLOGAIN

EFFICIENCY
  description, 33
EXIT
  example, 180

FBS, *see* Filterbanks
FEORGA, 177
FESET
  defn, 212
  examples, 54
Field center
  defn, 231
Figures
  Array layout, 156
  Bolometer Bandpass, 158
  MOPSI commands
    oo, 145
    strip, 148
  NIC commands
    onoff, 136
    signal, 134
    solve pointing, 134
    solve skydip, 134
    support, 137
  Preparation with MOPSI, 124
  Preparation with NIC, 122
    Bad example, 123
Filterbanks
  Setting Gain Level, 64
  setup, 55
  Use, 167

GO
  defn, 232
GPOINT
  defn, 220
GREG, 177

Holography
  results, 5

IF Interface, 170

KILL
  example, 183
KRONEN, 177

L_MODE
  defn, 211
LINE
  defn, 203
  description, 31
  examples, 54
Line Injector
  Frequency Check, 76
LMODE
  examples, 54
LPOINT
  defn, 216
  description, 32
LWPOINT
  defn, 218
  description, 32

Maps, 35
  Beam Switching, 61
  Coronado Forest Map, 18
  MGIO Topographic Map, 18
  On-the-Fly, 62
  Raster, 60
  Tucson, 17
MBC
  Printing
    Online Chef Display, *see* Commands

Observations

Continuum
examples, 39
Focus, 45
Pointing, 44
RX-Bolometer, 42
RX-SIS/HEBOL, 42
Setup, 43
Source, 41
Spectral Line
Backends, 55
Beam Switching, *see* WSWITCH
Beam Switching Maps, *see* WRASTER
Calibration, 56
examples, 48, 49
LINE, 54
On-the-Fly Maps, *see* PMAP
Pointing, 57
Position Switching, *see* PSWITCH
Raster Maps, *see* PRASTER
RX, 53
Source, 52
OBSERVE, 177
Observers
Changing OBST sessions, 66
Changing SPECTRA.SMT files, 66
Running OBST, 177
Observing
options, 8
When to close, 23, 24
humidity, 24
moisture, 24
sun, 24
winds, 24
OBSINP
ATN7, 64
example, 180
NOPROTOCOL
example, 187
PROTOCOL
example, 187
OBST, 177
Command Line
example, 181
ONDIS, 177
ONOFF
examples, 46, 47
ONOFF21
examples, *see* ONOFF
Optics
SIS Receivers, 74

PMAP
description, 8, 35
examples, 62
POINT
description, 32
examples, 44, 57
POINTING
defn, 214
Pointing, 32
PRASTER
defn, 246
description, 8, 35
examples, 60
Proposals, 15
PSWITCH
defn, 237
description, 8, 35
examples, 58

QUIT
example, 180

Rack Layout
SIS230, 79
SIS345, 93
SIS490, 105
Rasters and Maps
defn, 239
Receiver
efficiency
command, 33
Receivers
Frequency Check, *see* Line Injector
SIS230, *see* SIS230
SIS345, *see* SIS345
SIS490, *see* SIS490
Summary, 6
Reducing CONOFF data
examples, *see* ONOFF
Reducing CTRACK data

examples, *see* SKYDIP
References (OFF)
defn, 240
REFRESH
example, 187
REINIT
description, 36
RENAME
description, 36
examples, 64
RESTORE
example, 179
RX
Continuum
examples, 42
defn, 201
description, 31
examples, 53
two receivers, 53
Spectral Line
examples, 42

SAVE
example, 179
SET
BOLO
description, 32
BOLOGAIN
examples, 43
CATALOG_C
description, 31
examples, 41, 52
CATALOG_L
description, 31
examples, 54
OFFSET
description, 36
examples, 58–62, 64
REF_POS
examples, 64
W_BEAM
examples, 43
W_POS
description, 31
examples, 43
WFRQ
examples, 43
SET_DEFAULT
example, 184
OBSERVER, 185
OFFSET
example, *see* Field center
REF_FRQ, 187
REF_POS, 186, 240
WEATHER, 186
SHOW
description, 36
examples, 64
SIS Receivers
Optics, 74
SIS230, 77
Check BEFORE powering up, 83
Check Mirror Positions, 83
Final Tuning, 87
Initial Tuning, 85
Physical Layout, 78
Powering up, 84
Rack Layout, 79
Setting the Frequency, 81
Setting up the receiver, 83
Shutdown, 90
SIS345
Check BEFORE powering up, 97
Check Mirror Positions, 97
Final Tuning, 100
Initial Tuning, 98
Overview, 91
Physical Layout, 92
Rack Layout, 93
Setting the Frequency, 96
Setting up the receiver, 97
Shutdown, 102
SIS490
Check BEFORE powering up, 109
Final Tuning, 115
Initial Tuning, 113
Overview, 103
Physical Layout, 104
Powering up, 110
Rack Layout, 105

Setting the Frequency, 107
Shutdown, 118
Tuning Setup, 111
Site
Physical Information, 5
travel, *see* Travel
SKYDIP
defn, 226
description, 33
examples, 47
use for calibration, 46
skydips
data reduction, 65
continuum, 65
spectral line), 65
fit_skydip, 65
get_skydip, 65
plot_skydip, 65
SOURCE
defn, 229
description, 31
examples, 41, 52
changing the velocity, 52
resetting offsets, 58–62
Spectroscopy
modes of observing, 8
ST_ONLINE
defn, 250
STANDARD, 184
START
defn, 242
description, 35
examples, 60
STOW
description, 36
examples, 63
SYMBOLSONLY, 179

Telescope
Closing Doors, 63
Opening Doors, 38
Physical Information, 5
Power Up, 38
Shutdown, 63
Shutting Building Drives Off, 63
Starting Up, 37
Turning Building Drive On, 38
Tidbits, 64
Total Power
description, 8
Travel
At the site, 20
Driving from Base Camp, 17
logistics before arriving, 16

Useful Info, 64

WAIT
example, 182
WOBBLE
defn, 209
description, 31
examples, 43
WRASTER
defn, 248
description, 8, 35
examples, 61
WSWITCH
defn, 238
description, 8, 35
examples, 59

XFOCUS
defn, 222
description, 32
examples, 45

Y-factor
checking, 89, 102, 117
defn, 75

ZFOCUS
defn, 221
description, 32
examples, 45